

Distributed by:

JAMECO[®]
ELECTRONICS


www.Jameco.com ♦ 1-800-831-4242

The content and copyrights of the attached
material are the property of its owner.

Jameco Part Number 29103

SPECIFICATION OF CARBON COMPOSITION VARIABLE RESISTORS

CUSTOMER				CODE No																			
PART No	29103	TYPE CODE	SAMPLES	SPEC No																			
MODEL No		24N=100KB.15R		DRWG No																			
DRWG No			KITS/PCS	DATE																			
E 01	NOMINAL RESISTANCE	100 KOHMS ± 20 %		<div style="text-align: center;">TAPER B CURVE</div> <p style="font-size: small;">FOR TYPES WITH SWITCH EFFECTIVE TRAVEL = OVERALL TRAVEL - SWITCH TRAVEL</p>																			
E 02	TAPER CURVE	FIGURE AT RIGHT																					
E 03	POWER RATINGS	125 V 0.05 W																					
E 04	RESIDUAL	T1-T2	LESS THAN 20 OHMS																				
E 05	RESISTANCE	T2-T3	LESS THAN 20 OHMS																				
E 06	TRACKING ERROR (dBm) [FOR GANG TYPE ONLY]	VOLUME	± FOR TO																				
			± FOR TO																				
		TONE	± AT 50% TRAVEL																				
E 07	SWITCH	RATINGS	V A																				
		CONTACT	LESS THAN OHMS																				
E 08	SLIDING NOISE	LESS THAN 47 mV																					
E 09	INSULATION RESISTANCE	DC 500V 100M OHMS		ACCESSORIES <table border="1" style="font-size: x-small; border-collapse: collapse;"> <tr> <td>NUT</td> <td>OD</td> <td>T</td> <td>2</td> <td>1</td> <td>PC</td> </tr> <tr> <td>WASHER</td> <td>OD</td> <td>T</td> <td>0.5</td> <td>1</td> <td>PC</td> </tr> <tr> <td>SCREW</td> <td>M1.7 PO</td> <td>L</td> <td></td> <td>1</td> <td>PC</td> </tr> </table>		NUT	OD	T	2	1	PC	WASHER	OD	T	0.5	1	PC	SCREW	M1.7 PO	L		1	PC
NUT	OD	T	2			1	PC																
WASHER	OD	T	0.5			1	PC																
SCREW	M1.7 PO	L		1	PC																		
E 10	DIELECTRIC STRENGTH	AC 1000V FOR 1 MINUTE																					
M 01	DIMENSIONS	FIGURE ATTACHED																					
M 02	STOPPER STRENGTH	MORE THAN 7 Kg		NOTES BUSHING -- 3/8																			
M 03	OVERALL	ROTATION	300 ± 5 °																				
	TRAVEL	STROKE	mm																				
M 04	TORQUE	SLIDING	50 - 350 gcm																				
M 05		SWITCH	- gcm																				
M 06	SWITCH	ROTATION	± °																				
	TRAVEL	STROKE	± mm																				
M 07	SWITCH TYPE	. P . T .																					
L 01	WORKING LIFE	MORE THAN 15,000 CYCLES																					
AUTHORIZED		APPROVED	CHECKED	WRITTEN																			



15				R
L	A	B	C	K

比例	1:1	單位	mm	品號	24 NR	核准	校閱	製作	設計	備	考
品名				品名	24 NR VARIABLE RESISTORS						
圖名				圖名	OUTLINE OF 24 NR VR						
日期				日期							